# Volume 197 1991

## Table of contents

No. 1 1–280 issued on April 10, 1991
No. 2 281–562 issued on April 23, 1991
No. 3 563–826 issued on May 8, 1991

Correction 819

Information for Authors 821–826

**Review**

The respiratory-chain NADH dehydrogenase (complex I) of mitochondria
*H. Weiss, T. Friedrich, G. Hofhaus and D. Preis* 563–576

**Nucleic acids, protein synthesis and molecular genetics**

The proteinase yscB inhibitor (*PBI2*) gene of yeast and studies on the function of its protein product
*P. Schu, P. Suarez Rendueles and D. H. Wolf* 1– 7

*Staphylococcal* phospho*enol*pyruvate-dependent phosphotransferase system – Purification and protein sequencing of the *Staphylococcus carnosus* histidine-containing protein, and cloning and DNA sequencing of the *ptsH* gene
*R. Eisermann, R. Fischer, U. Kessler, A. Neubauer and W. Hengstenberg* 9– 14

An alternatively processed mRNA generated from human hepatocyte growth factor gene
*K. Miyazawa, A. Kitamura, D. Naka and N. Kitamura* 15– 22

Isolation and analysis of the human 46-kDa mannose 6-phosphate receptor gene
*H.-J. Klier, K. von Figura and R. Pohlmann* 23– 28

Sequence requirements for prohormone processing in mouse pituitary AtT-20 cells – Analysis using prorenins as model substrates
*M. Nagahama, K. Nakayama and K. Murakami* 135–140

Developmental expression of rabbit cytochrome P450 *CYP1A1*, *CYP1A2* and *CYP3A6* genes – Effect of weaning and rifampicin
*T. Pineau, M. Daujat, L. Pichard, F. Girard, J. Angevain, C. Bonfils and P. Maurel* 145–153

Complete structure of the chicken α2(VI) collagen gene
*A. R. Hayman, J. Köppel and B. Trueb* 177–184

Different patterns of expression of β-tubulin genes in *Tetrahymena pyriformis* during reciliation
*H. Soares, L. Cyrne, I. Barahona and C. Rodrigues-Pousada* 291–299

Complete nucleotide sequence of the gene for human C1 inhibitor with an unusually high density of *Alu* elements
*P. E. Carter, C. Duponchel, M. Tosi and J. E. Fothergill* 301–308

Pumpkin malate synthase – Cloning and sequencing of the cDNA and Northern blot analysis
*H. Mori, Y. Takeda-Yoshikawa, I. Hara-Nishimura and M. Nishimura* 331–336

Molecular cloning, expression and nucleotide sequence of the endo-β-1,3-1,4-D-glucanase gene from *Bacillus licheniformis* – Predictive structural analyses of the encoded polypeptide
*J. Lloberas, J. A. Perez-Pons and E. Querol* 337–343

Molecular cloning of the gene for plant proliferating-cell nuclear antigen and expression of this gene during the cell cycle in synchronized cultures of *Catharanthus roseus* cells
*H. Kodama, M. Ito, N. Ohnishi, I. Suzuka and A. Komamine* 495–503

Mapping the functional domains of the eukaryotic elongation factor 1βγ
*H. van Damme, R. Amons, G. Janssen and W. Möller* 505–511

Analysis of the *spc* ribosomal protein operon of *Thermus aquaticus*
*O. Jahn, R. K. Hartmann and V. A. Erdmann* 733–740

Analysis of the promoter region of napin genes from *Brassica napus* demonstrates binding of nuclear protein *in vitro* to a conserved sequence motif
*M. L. Ericson, E. Murén, H.-O. Gustavsson, L.-G. Josefsson and L. Rask* 741–746

Differences in 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-inducible *CYP1A1* expression in human breast carcinoma cell lines involve altered *trans*-acting factors
*J. S. Thomsen, L. Nissen, S. N. Stacey, R. N. Hines and H. Autrup* 577–582

Structure determination of $[d(ATATATAUAT)]_2$ via two-dimensional NOE spectroscopy and molecular dynamics calculations
*D. J. Kerwood, G. Zon and T. L. James* 583–595

$^1$H-NMR studies of the interaction between a self-complementary deoxyoligonucleotide duplex and indolo[2,3-b]quinoxaline derivatives active against herpes virus
*N. Patel, J. Bergman and A. Gräslund* 597–604

Structural and biological properties of human recombinant myeloperoxidase produced by Chinese hamster ovary cell lines
*N. Moguilevsky, L. Garcia-Quintana, A. Jacquet, C. Tournay, L. Fabry, L. Piérard and A. Bollen* 605–614

The complete primary structure of the human α1(VIII) chain and assignment of its gene (*COL8A1*) to chromosome 3
*Y. Muragaki, M.-G. Mattei, N. Yamaguchi, B. R. Olsen and Y. Ninomiya* 615–622

Eukaryotic protein synthesis initiation factor 2 – A target for inactivation by proanthocyanidin
*W. Kudlicki, W. D. Picking, G. Kramer, B. Hardesty, S. K. Smailov, B. G. Mukhamedzhanov, A. V. Lee and B. K. Iskakov* 623–629

## Protein chemistry and structure

Some structural features of the iron-uptake regulation protein
*T. Saito, M. R. Wormald and R. J. P. Williams* 29– 38

The histidines of the iron-uptake regulation protein, Fur
*T. Saito, D. Duly and R. J. P. Williams* 39– 42

The binding of the ferric uptake regulation protein to a DNA fragment
*T. Saito and R. J. P. Williams* 43– 47

Monoclonal antibodies specific for the core protein of the $\beta$-subunit of the gastric proton pump ($H^+/K^+$ ATPase) – An autoantigen targetted in pernicious anaemia
*C. M. Jones, B.-H. Toh, J. M. Pettitt, T. M. Martinelli, D. C. Humphris, J. M. Callaghan, I. Goldkorn, F.-T. Mu and P. A. Gleeson* 49– 59

Intracellular modifications of rat $\alpha_1$inhibitor$_3$ – Formation of disulphides, internal thiolester and sulphation
*M. Sjöberg, F. Esnard and E. Fries* 61– 66

Kringle-2 domain of the tissue-type plasminogen activator – $^1$H-NMR assignments and secondary structure
*I.-J. L. Byeon, R. F. Kelley and M. Llinás* 155–165

Labile conformation of type 2 $Cu^{2+}$ centres in human ceruloplasmin
*V. V. Rylkov, M. Y. Tarasiev and K. A. Moshkov* 185–189

Post-translational processing of the amino terminus affects actin function
*E. S. Hennessey, D. R. Drummond and J. C. Sparrow* 345–352

Isolation and characterisation of milk growth factor, a transforming-growth-factor-$\beta$2-related polypeptide, from bovine milk
*D. A. Cox and R. R. Bürk* 353–358

Pseudomonas 3$\beta$-hydroxysteroid dehydrogenase – Primary structure and relationships to other steroid dehydrogenases
*S.-J. Yin, N. Vagelopoulos, G. Lundquist and H. Jörnvall* 359–365

Complete sequence and model for the $A_2$ subunit of the carotenoid pigment complex, crustacyanin
*J. N. Keen, I. Caceres, E. E. Eliopoulos, P. F. Zagalsky and J. B. C. Findlay* 407–417

Mouse ornithine decarboxylase is phosphorylated by casein kinase-II at a predominant single location (serine 303)
*Y. Rosenberg-Hasson, D. Strumpf and C. Kahana* 419–424

A study on apoenzyme from *Rhodotorula gracilis* D-amino acid oxidase
*P. Casalin, L. Pollegioni, B. Curti and M. Pilone Simonetta* 513–517

Covalent structure of two novel neutrophile leucocyte-derived proteins of porcine and human origin – Neutrophile elastase homologues with strong monocyte and fibroblast chemotactic activities
*H. Flodgaard, E. Østergaard, S. Bayne, A. Svendsen, J. Thomsen, M. Engels and A. Wollmer* 535–547

Isolation and characterization of a membrane glycoprotein from human brain with sequence similarities to cell adhesion proteins from chicken and mouse
*E. Berglund, T. Stigbrand and S. R. Carlsson* 549–554

Proton-NMR studies of the effects of ionic strength and pH on the hyperfine-shifted resonances and phenylalanine-82 environment of three species of mitochondrial ferricytochrome *c*
*S. J. Moench, T.-M. Shi and J. D. Satterlee* 631–641

Two-dimensional $^1$H, $^{15}$N-NMR investigation of uniformly $^{15}$N-labeled ribonuclease T1 – Complete assignment of $^{15}$N resonances
*J. M. Schmidt, H. Thüring, A. Werner, H. Rüterjans, R. Quaas and U. Hahn* 643–653

Metal selectivity of clusters in rabbit liver metallothionein
*M. Good, R. Hollenstein and M. Vašák* 655–659

Proton nuclear magnetic resonance investigation of adrenodoxin – Assignment of aromatic resonances and evidence for a conformational similarity with ferredoxin from *Spirulina platensis*
*S. Miura and Y. Ichikawa* 747–757

Primary structure of a 15-kDa protein from rat intestinal epithelium – Sequence similarity to fatty-acid-binding proteins
*T. Kanda, S. Odani, M. Tomoi, Y. Matsubara and T. Ono* 759–768

Assembly and disulfide rearrangement of recombinant surfactant protein A *in vitro*
*C. Haas, T. Voss and J. Engel* 799–803

## Enzymology

Enzymatic properties of phosphatidylinositol-glycan-specific phospholipase C from rat liver and phosphatidylinositol-glycan-specific phospholipase D from rat serum
*S. Stieger, S. Diem, A. Jakob and U. Brodbeck* 67– 73

Site-directed chemical conversion of serine to cysteine in penicillin acylase from *Escherichia coli* ATCC 11105 – Effect on conformation and catalytic activity
*A. Slade, A. J. Horrocks, C. D. Lindsay, B. Dunbar and R. Virden* 75– 80

The roles of $ADP^{2-}$ and $Mg^{2+}$ in control steps of phosphoglycerate kinase
*H. C. Graham and R. J. P. Williams* 81– 91

Possible regulation of hypothalamus and lung histidine decarboxylase activity by cAMP-dependent protein kinase
*Z. Huszti, K. Magyar and J. Keleti* 191–196

Release of proteinases from stimulated polymorphonuclear leukocytes – Evidence for subclasses of the main granule types and their association with cytoskeletal components
*A. Schettler, H. Thorn, B. M. Jockusch and H. Tschesche* 197–202

Studies on RNase T1 mutants affecting enzyme catalysis
*H.-P. Grunert, A. Zouni, M. Beineke, R. Quaas, Y. Georgalis, W. Saenger and U. Hahn* 203–207

Zinc ions promote the binding of factor XII/factor XIIA to acidic phospholipids but have no effect on the binding of high-$M_r$ kininogen
*I. Schousboe and T. Halkier* 309–314

Comparison of the action of lipoprotein lipase on triacylglycerols and phospholipids when presented in mixed liposomes or in emulsion droplets
*C. Rojas, T. Olivecrona and G. Bengtsson-Olivecrona* 315–321

Identification and cloning of yeast phosphofructokinase 2
*M. Kretschmer, P. Tempst and D. G. Fraenkel* 367–372

Purification and characterization of NADPH-dependent 2-oxoaldehyde reductase from porcine liver — A self-defence enzyme preventing the advanced stage of the Maillard reaction
*Z.-Q. Liang, F. Hayase and H. Kato* 373–379

Microheterogeneity of rat submaxillary gland kallikrein k10, a member of the kallikrein family
*N. Gutman, A. Elmoujahed, M. Brillard, B. Monegier Du Sorbier and F. Gauthier* 425–429

The purine-2-deoxyribonucleosidase from *Crithidia luculiae* — Purification and *trans*-*N*-deoxyribosylase activity
*D. J. Steenkamp* 431–439

pH-dependent mechanism in the catalysis of prolyl endopeptidase from pig muscle
*L. Polgar* 441–447

Crystalline green 5-hydroxyvaleryl-CoA dehydratase from *Clostridium aminovalericum*
*U. Eikmanns and W. Buckel* 661–668

A study on the inactivation of wheat carboxypeptidase — Implication of the transient active monomer and the half-site reactivity
*S. Kunugi, K. Tanabe, T. Kondoh, M. Yokoyama, N. Ito, A. Nomura and M. Fukuda* 669–673

Effects of mitochondrial swelling and calcium on phosphate-activated glutaminase in pig renal mitochondria
*E. Kvamme, B. Roberg and I. Aa. Torgner* 675–680

On the FAD-induced dimerization of apolipoamide dehydrogenase from *Azotobacter vinelandii* and *Pseudomonas fluorescens* — Kinetics of reconstitution
*W. J. H. van Berkel, J. A. E. Benen and M. C. Snoek* 769–779

Exonuclease activities associated with DNA polymerases $\alpha$ and $\beta$ of the archaebacterium *Halobacterium halobium*
*I. Sorokine, K. Ben-Mahrez, M. Nakayama and M. Kohiyama* 781–784

*N*-Acetylglucosaminono-1,5-lactone oxime and the corresponding (phenylcarbamoyl)-oxime — Novel and potent inhibitors of $\beta$-*N*-acetylglucosaminidase
*M. Horsch, L. Hoesch, A. Vasella and D. M. Rast* 815–818

## Carbohydrates, lipids and other natural products

The structure of the *O*-specific polysaccharide chain of *Proteus penneri* strain 16 lipopolysaccharide
*E. V. Vinogradov, Z. Sidorczyk, A. Swierzko, A. Rożalski, E. D. Daeva, A. S. Shashkov, Y. A. Knirel and N. K. Kochetkov* 93–103

Structure determination of the glycans of human-serum $\alpha_1$-antichymotrypsin using $^1$H-NMR spectroscopy and deglycosylation by *N*-glycanase
*A. Laine, E. Hachulla, G. Strecker, J.-C. Michalski and J.-M. Wieruszeski* 209–215

Studies on the molecular recognition of synthetic methyl $\beta$-lactoside analogs by ricin, a cytotoxic plant lectin
*A. Rivera-Sagredo, D. Solis, T. Diaz-Mauriño, J. Jimenez-Barbero and M. Martin-Lomas* 217–228

Purification and characterization of a novel broad-specificity ($\alpha1\rightarrow2$, $\alpha1\rightarrow3$ and $\alpha1\rightarrow6$) mannosidase from rat liver
*P. Bonay and R. C. Hughes* 229–238

Heparinase II from *Flavobacterium heparinum* — Action on chemically modified heparins
*C. F. Moffat, M. W. McLean, W. F. Long and F. B. Williamson* 449–459

Yeast carboxypeptidase Y requires glycosylation for efficient intracellular transport, but not for vacuolar sorting, *in vivo* stability, or activity
*J. R. Winther, T. H. Stevens and M. C. Kielland-Brandt* 681–689

Ethanol potentiates the stimulatory effects of phorbol ester, sphingosine and 4-hydroxy-nonenal on the hydrolysis of phosphatidylethanolamine in NIH 3T3 cells
*Z. Kiss, K. Crilly and J. Chattopadhyay* 785–790

## Physical and inorganic biochemistry

Sensitive titration microcalorimetric study of the binding of *Salmonella* O-antigenic oligosaccharides by a monoclonal antibody
*B. W. Sigurskjold, E. Altman and D. R. Bundle* 239–246

Binding of long-chain fatty acids to serum albumin in healthy humans — Relationship to obesity
*R. Brodersen, H. Vorum, N. Krukow and A. O. Pedersen* 461–465

Assignment of active-site protons in the $^1$H-NMR spectrum of reduced human Cu/Zn superoxide dismutase
*I. Bertini, F. Capozzi, C. Luchinat, M. Piccioli and M.-S. Viezzoli* 691–697

## Membranes and bioenergetics

Isolation of the ATP synthase subunit 6 and sequence of the mitochondrial *ATP6* gene of the yeast *Candida parapsilosis*
*E. Guélin, M. Guérin and J. Velours* 105–111

Characterisation of glutamine uptake in rat liver mitochondria
*S. Soboll, C. Lenzen, D. Rettich, S. Gründel and B. Ziegler* 113–117

Purification and properties of the $H^+$-nicotinamide nucleotide transhydrogenase from *Rhodobacter capsulatus*
*T. M. Lever, T. Palmer, I. J. Cunningham, N. P. J. Cotton and J. B. Jackson* 247–255

The iron-sulfur clusters in the two related forms of mitochondrial NADH: ubiquinone oxidoreductase made by *Neurospora crassa*
*D.-C. Wang, S. W. Meinhardt, U. Sackmann, H. Weiss and T. Ohnishi* 257–264

Thermodynamics and modulation of progesterone microcompartmentation and hydrophobic interaction with cytochrome *P*450XVII based on quantification of local ligand concentrations in a complex multi-component system
*W. N. Kühn-Velten* 381–390

Reactive blue 2 is a potent inhibitor of a thylakoid protein kinase
*S. J. Coughlan, J. W. Davenport and G. Hind* 467–471

Complex formation between chlorophyll *a* and cytochrome *c*: surface properties at the air-water interface — Absorbance, fluorescence and fluorescence-lifetime in Langmuir-Blodgett films
*F. Lamarche, G. Picard, F. Téchy, J. Aghion and R. M. Leblanc* 529–534

Interaction of $Zn^{2+}$ with the bovine-heart mitochondrial $bc_1$ complex
*M. Lorusso, T. Cocco, A. M. Sardanelli, M. Minuto, F. Bonomi and S. Papa* 555–561

*Bacillus subtilis* expresses two kinds of haem-A-containing terminal oxidases
*M. Lauraeus, T. Haltia, M. Saraste and M. Wikström* 699–705

Molecular modelling of bacterial deep rough mutant lipopolysaccharide of *Escherichia coli*
*M. Kastowsky, A. Sabisch, T. Gutberlet and H. Bradaczek* 707–716

## Metabolism and metabolic regulation

Glycolysis at the climacteric of bananas
*K. L. Ball, J. H. Green and T. ap Rees* 265–269

Effects of amphotericin B on the glucose metabolism in *Saccharomyces cerevisiae* cells — Studies by $^{13}C$-, $^{1}H$-NMR and biochemical methods
*S. Tran-Dinh, M. Hervé, O. Lebourguais, M. Jerome and J. Wietzerbin* 271–279

Catalytic properties of phenol carboxylase — *In vitro* study of $CO_2$: 4-hydroxybenzoate isotope exchange reaction
*A. Lack, I. Tommasi, M. Aresta and G. Fuchs* 473–479

Control of hepatic proteolysis by amino acids — The role of cell volume
*C. Hallbrucker, S. Vom Dahl, F. Lang and D. Häussinger* 717–724

Thioredoxin activation of phosphoribulokinase in a chloroplast multi-enzyme complex
*M. Rault, B. Gontero and J. Ricard* 791–797

Regulation of hepatic energy metabolism by epidermal growth factor
*S. M. Rashed and T. B. Patel* 805–813

## Signal transduction and molecular neurobiology

Characterization of fMet-Leu-Phe-stimulated phospholipase C in streptolysin-O-permeabilised cells
*J. Stutchfield and S. Cockcroft* 119–125

Binding of $\alpha$- and $\beta\gamma$-subunits of $G_o$ to $\beta_1$-adrenoceptor in sealed unilamellar lipid vesicles
*N. P. Kurstjens, M. Fröhlich, C. Dees, R. C. Cantrill, M. Hekman and E. J. M. Helmreich* 167–176

Phosphorylation of keratin intermediate filaments by protein kinase C, by calmodulin-dependent protein kinase and by cAMP-dependent protein kinase
*T. Yano, T. Tokui, Y. Nishi, K. Nishizawa, M. Shibata, K. Kikuchi, S. Tsuiki, T. Yamauchi and M. Inagaki* 281–290

Effects of cholecystokinin, cholecystokinin JMV-180 and GTP analogs on enzyme secretion from permeabilized acini and chloride conductance in isolated zymogen granules of the rat pancreas
*A. Piiper, T. Plusczyk, L. Eckhardt and I. Schulz* 391–398

Lipid interaction of diphtheria toxin and mutants — A study with phospholipid and protein monolayers
*R. Demel, G. Schiavo, B. de Kruijff and C. Montecucco* 481–486

The involvement of extracellular calcium in the formation of 5-lipoxygenase metabolites by human polymorphonuclear leukocytes
*M. Schatz-Munding, A. Hatzelmann and V. Ullrich* 487–493

Signal amplification in HL-60 granulocytes — Evidence that the chemotactic peptide receptor catalytically activates guanine-nucleotide-binding regulatory proteins in native plasma membranes
*P. Gierschik, R. Moghtader, C. Straub, K. Dieterich and K. H. Jakobs* 725–732

## Molecular cell biology

3-Aminobenzamide inhibits cytotoxicity and adhesion of phorbol-ester-stimulated granulocytes to fibroblast monolayer cultures
*T. Meyer, H. Lengyel, W. Fanick and H. Hilz* 127–133

Cell/cell channel formation involves disulfide exchange
*G. Dahl, E. Levine, C. Rabadan-Diehl and R. Werner* 141–144

Preferential distribution of group-II-like phospholipase $A_2$ in mononuclear phagocytic cells in rat spleen and liver
*M. Inada, H. Tojo, S. Kawata, S. Tarui and M. Okamoto* 323–329

Carboxypeptidase yscS: gene structure and function of the vacuolar enzyme
*D. O. Spormann, J. Heim and D. H. Wolf* 399–405

Regulation of the expression of a secreted acidic protein rich in cysteine (SPARC) in human fibroblasts by transforming growth factor $\beta$ — Comparison of transcriptional and post-transcriptional control with fibronectin and type I collagen
*J. L. Wrana, C. M. Overall and J. Sodek* 519–528

Indexed in *Current Contents*